


Pro **70-60** Serie


Technical Specifications

- 70-60 mm profile width.
- 5 and 4 large chamber and 2 seals, provides an excellent heat, sound and water insulation.
- Unique support sheet and automatic TPV gray seals all yield lower inventory costs and speedy manufacturing.
- Single layer (4-6 mm) or heat insulating glass (20-24-32 mm) at different thickness may be applied with gray seals.
- Furthermore, 3 layered glasses and blind glasses, with shutter [equipped with motor or motorless) or without shutter.




Pro **70-60**
Serie


Pro 70-60 Serie




Frame Profile
PRP.7140




Mullion Profile
PRP.7340




Sash Profile
PRP.6200




Outward Sash Profile
PRP.6220




Super Sash Profile
PRP.7540




Door Sash Profile 85 mm
PRP.6400




Door Sash Profile 92 mm
PRP.6420




Door Sash Profile 100 mm
PRP.6440




Outward Door Sash Profile
PRP.6500




Mullion Rebate Profile
PRP.6600



90° Corner Connection Profile
PRP.6910




Pipe Profile
PRP.6920




Angled Corner Connection Profile
PRP.7900


Pro 70-60 Serie




4-6 mm Glazing Bead
PRP.6800




20 mm Glazing Bead
PRP. 6802




24 mm Glazing Bead
PRP. 6804




32 mm Glazing Bead
PRP. 6806




4-6 mm Single Glass




20 mm Double Glass




24 mm Double Glass




32 mm Triple Glass




4-6 mm Single Glass




20 mm Double Glass




24 mm Double Glass



32 mm Triple Glass




Frame / Sash / Mullion
Reinforcement




Mullion Reinforcement




Mullion Rebate
Reinforcement




Door Sash 85 mm
Reinforcement




Door sash 92 mm
Reinforcement



Door Sash 100 mm
Reinforcement



Door Sash 100 mm Box
Reinforcement



90° Corner Connection
Reinforcement

Pro 70-60 Serie

